

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 1

Product **DIPPY BAIES @ 25%** Revisiondate  
Version 11.0 23-10-2024 Printdate 23-10-2024

**1. Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier** MULTI-COMPONENT MIXTURE

Product code

DIPPY BAIES @ 25%

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Intended Use Fragrances Perfume compound

**1.3 Details of the supplier of the safety data sheet**

Company

Discount Candle supplies  
Queensway Industrial Estate, Unit K3 Snowdon Road  
Lytham St Annes, Lancashire, FY8 3DP UK  
+44 (0) 1253 224073  
[discountcandlesupplies@gmail.com](mailto:discountcandlesupplies@gmail.com)

**1.4 Emergency telephone number** +44 (0) 1253 224073

**2. Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

H317 May cause an allergic skin reaction.Sensitization, skin (SS 1 / 1B)Category 1

H319 Causes serious eye irritation.Serious eye damage/eye irritation (EDI)Category 2A

H412 Harmful to aquatic life with long lasting effects.Hazardous to the aquatic environment, long-term hazard (EH C)Category 3

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms



GHS07

**Signalword**

WARNING

**Hazard statements**

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 2

Product  
Version 11.0

**DIPPY BAIES @ 25%** Revisiondate  
23-10-2024

Printdate 23-10-2024

**Precautionary statements**

Prevention P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P361 Remove/Take off immediately all contaminated clothing.  
P391 Collect spillage.

**Hazardous components which must be listed on the label:**

3,7-dimethyl-6-octen-1 -ol (dl-citronellol)  
1 -(2,6,6-trimethyl-3-cyclohexen-1 -yl)-2-buten-1 one  
2,6-dimethyl-7-octen-2-ol  
trans-3,7-dimethyl-2,6-octadien-1 -ol (geraniol)  
guaiyl acetate  
2-hexyl-3-phenyl-2-propenal (trans & cis)  
2,4-dimethylcyclohexene-3-carbaldehyde  
2-phenylethanol  
alpha-pinene  
l-beta-pinene

**2.3 Other hazards**

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1 % or higher.

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1 % or higher.

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 3



Product  
Version 11.0

**DIPPY BAIES @ 25%**  
Revisiondate 23-10-2024

Printdate 23-10-2024

**3. Composition/information on ingredients**

**3.2 Mixtures**

Hazardous components

<u>Chemical Name</u>	<u>CAS-Nr.</u> <u>REACH req.</u>	<u>(REGULATION (EC) No 1272/2008)</u>	<u>Concentration T%1</u>
3,7-dimethyl-6-octen-1-ol (dl-citronellol)	106-22-9	H315Skin corrosion/irritation (SC)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H319Serious eye damage/eye irritation (ED)Category 2A	1 - 5%
	01-2119453995-23-xxxx		
		Acute toxicity estimate Acute oral toxicity 3450 mg/kg Acute dermal toxicity 2650 mg/kg	
1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1one	57378-68-4	H302Acute toxicity, oral (ATO)Category 4 H315Skin corrosion/irritation (SC)Category 2 H317+Sensitization, skin (SS 1A)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,01 -0,1%
	01-2119535122-53-xxxx		
		Acute toxicity estimate Acute oral toxicity 1400 mg/kg	
2,6-dimethyl-7-octen-2-ol	18479-58-8	H315Skin corrosion/irritation (SC)Category 2 H319Serious eye damage/eye irritation (ED)Category 2A H336Specific target organ toxicity, single exposure; Narcotic effects (STO-SE (NE))3	0,1 - 1%
	01-2119457274-37-xxxx		
		Acute toxicity estimate Acute oral toxicity 3020 mg/kg	
trans-3,7-dimethyl-2,6-octadien-1-ol (geraniol)	106-24-1	H315Skin corrosion/irritation (SC)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H318Serious eye damage/eye irritation (ED)1	1 - 5%
	01-2119552430-49-xxxx		
		Acute toxicity estimate Acute oral toxicity $_{36Q_0}$ mg/kg	

**SAFETY DATA SHEET**  
 according to Regulation (EC) No. 1907/2006



Page 4

Product		<b>DIPPY BAIES @ 25%</b>	
Version 11.0		Revisiondate 23-10-2024	Printdate 23-10-2024
guaiyl acetate	134-28-1	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,1 - 1%
	01-2120746528-45-xxxx <sup>1</sup>		
		M Factor	Acute 1; Chronic 1
2-hexyl-3-phenyl-2-propenal (trans & cis)	101 -86-0	H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H411 Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	1 - 5%
	01-2119533092-50-xxxx		
		M Factor	Acute 1
		Acute toxicity estimate	
		Acute oral toxicity	3100 mg/kg
2,4-dimethylcyclohexene-3-carbaldehyde	68039-49-6	H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H411 Hazardous to the aquatic environment, long-term hazard (EH C)Category 2	0,1 - 1%
	01-2119982384-28-xxxx		
		Acute toxicity estimate	
		Acute oral toxicity	2330 mg/kg
phenethyl acetate	103-45-7	H318Serious eye damage/eye irritation (EDI)1	1 - 5%
	01-2119976340-38-xxxx		
		Acute toxicity estimate	
		Acute oral toxicity	2500 mg/kg
2-phenylethanol	60-12-8	H302Acute toxicity, oral (ATO)Category 4 H319Serious eye damage/eye irritation (EDI)Category 2A	1 - 5%
	01-2119963921-31-xxxx		
		Acute toxicity estimate	
		Acute oral toxicity	1610 mg/kg
alpha-pinene	80-56-8	H226Flammable liquids (FL)Category 3 4 H302Acute toxicity, oral (ATO)Category 4 H304Aspiration hazard (AH)Category 1 H315Skin corrosion/irritation (SCI)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 H400Hazardous to the aquatic environment, acute hazard (EH A)Category 1 H410Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	0,1 - 1%
	m 911QA1Q99R zLQ U1 -zI 1 yol yzzd-4y-XXXX		
		M Factor	Acute 1; Chronic 1
		Acute toxicity estimate	
		Acute oral toxicity	500 mg/kg

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

Page 5



**Product** **DIPPY BAIES @ 25%**

**Version 11.0** **Revisiondate 23-10-2024** **Printdate 23-10-2024**

I-beta-pinene	18172-67-3	H226Flammable liquids (FL)Category 3 H304Aspiration hazard (AH)Category 1 H315Skin corrosion/irritation (SCl)Category 2 H317Sensitization, skin (SS 1 / 1B)Category 1 91 -1 cmn A/i 01-2119519230-54-XXXX H410Hazardous to the aquatic environment, acute hazard (EH A)Category 1 Hazardous to the aquatic environment, long-term hazard (EH C)Category 1	1 - %
---------------	------------	---	-------

M Factor Acute 1; Chronic 1

Product

**DIPPY BAIES @ 25%**

Version 11.0

Revisiondate 23-10-2024

Printdate 23-10-2024

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. First aid measures

##### 4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	If on skin, rinse well with water.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

##### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	no data available
----------	-------------------

##### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	no data available
-----------	-------------------

#### 5. Fire-fighting measures

##### 5.1 Extinguishing media

Suitable extinguishing media	Dry chemical Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Water spray
------------------------------	--

Unsuitable extinguishing media	High volume waterjet
--------------------------------	----------------------

##### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or water courses.
--------------------------------------	---

##### 5.3 Advice for firefighters

Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
--	---

Further information	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
---------------------	--

#### 6. Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment.
----------------------	------------------------------------

##### 6.2 Environmental precautions

Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---

##### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
-------------------------	---

##### 6.4 Reference to other sections

not applicable

#### 7. Handling and storage

# SAFETY DATA SHEET

## according to Regulation (EC) No. 1907/2006

Page 7

Product **DIPPY BAIES @ 25% Revisiondate**  
Version 11.0 **23-10-2024** Printdate 23-10-2024

### 7.1 Precautions for safe handling

Advice on safe handling Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion Normal measures for preventive fire protection,

Temperature class no data available  
Fire-fighting class no data available  
Dust explosion class no data available

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions no data available

Advice on common storage no data available

German storage class no data available  
Other data No decomposition if stored and applied as directed.

### 7.3 Specific end uses

Specific use(s) no data available

## 8. Exposure controls/personal protection

### 8.1 Control parameters

#### BENZALDEHYDE

Workingprogram : Limits Finland 2007 Limits : 1 parts per million Publication : Julkaisuja 2007:4

#### CAMPHOR

Workingprogram : Limits Finland 2007 Limits : 0,3 parts per million Publication : Julkaisuja 2007:4

Workingprogram : Limits Denemarken 2007 Limits : 2 parts per million Publication : Arbejdstilsynet; Grænsevserdier for stoffer og materialer, augustus 007 (publicatie C.0.1)

Workingprogram : Limits Frankrijk 2008 Limits : 2 parts per million Publication : Valeurs limites d'exposition professionnelle aux agents chimiques en France; INRS ED 984; juni 2008

Workingprogram : Limits Noorwegen 2010 Limits : 2 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet

Workingprogram : Limits België 2009 Limits : 2 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009 - 2065

Workingprogram : Limits Oostenrijk 2007 Limits : 2 parts per million Publication : Grenzwerteverordnung 2007 - GKV 2007

Workingprogram : Limits Zwitserland Limits : 2 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Verenigd Koninkrijk 2007 Limits : 2 parts per million Publication : EH40/2005

Workingprogram : Limits Spanje 2010 Limits : 2 parts per million Publication : Límites de Exposición Profesional para Agentes Químicos en España, Mayo 2010; Ministerio de Trabajo e Inmigración, INSHT

Workingprogram : Werkprogramma Herevaluatie bestaande Limits Limits : Publication : 2000/15 OSH/018

#### DIPROPYLENE GLYCOL

Workingprogram : Limits Zwitserland Limits : 200 milligram per kubieke meter inhaleerbare fractie Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Duitsland-AGS Limits : 67 milligram per kubieke meter inhaleerbare fractie Publication : TRGS 900

#### LIMONENE

Workingprogram : Werkprogramma Overname buitenlandse Limits (dossier 11) Limits : 110 milligram per kubieke meter Publication : 38975

Workingprogram : Limits Duitsland-AGS Limits : 20 parts per million Publication : TRGS 900

Workingprogram : Limits Zwitserland Limits : 20 parts per million Publication : SuvaPro Grenzwerte am Arbeitsplatz 2009

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave november 2009; Arbejdstilsynet

# SAFETY DATA SHEET

## according to Regulation (EC) No. 1907/2006

Page 8

Product **DIPPY BAIES @ 25% Revisiondate**  
Version 11.0 **23-10-2024** Printdate **23-10-2024**

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13.

uitgave november 2009; Arbeidstilsynet

Workingprogram : Limits Finland 2007 Limits : 25 parts per million Publication : Julkaisuja 2004:4

### PINENE ALPHA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

### PINENE BETA

Workingprogram : Limits België 2009 Limits : 20 parts per million Publication : Belgisch Staatsblad 19 mei 2009; N. 2009- -2065

Workingprogram : Limits Noorwegen 2010 Limits : 25 parts per million Publication : Administrative normer for forurensning i arbeidsatmosfaere; 13. utgave

november 2009; Arbeidstilsynet

Workingprogram : Limits Zweden 2005 Limits : 25 parts per million Publication : AFS 2005:17

## 8.2 Exposure controls

### Personal protective equipment

Hand protection	Use protective gloves. Gloves must comply with standard EN 374-1/2/3. Suitable material: Nitrile Breakthrough time (maximum wearing time): >30 min. Thickness of the material: 0.13 mm
Eye protection	Eye wash bottle with pure water Tightly fitting, approved safety goggles with side shields with standard EN166. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### Environmental exposure controls

General advice	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
----------------	---

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properti

Physical state	liquid
Form	liquid
Color	not determined
Odor	not determined
Odour Threshold	not applicable
Flash point	94°C
Lower explosion limit	not determined
Upper explosion limit	not determined
Flammability (solid, gas)	not applicable
Oxidizing properties	not applicable
Autoignition temperature	not determined
Decomposition temperature	no data available
pH	not determined
Melting point	not determined
Boiling point	not determined
Vapour pressure	not determined
Density	not determined
Bulk density	not applicable
Water solubility	not determined
Solubility/qualitative	practically insoluble
Partition coeff noctanol/H2O	not applicable
Viscosity, kinematic	no data available
Relative vapour density	no data available
Evaporation rate	no data available
Explosive properties	no data available

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 9

Product **DIPPY BAIES @ 25%**  
Version 11.0 Revisiondate 23-10-2024 Printdate 23-10-2024

9.2 Other information not applicable

**10. Stability and reactivity**

10.1 Reactivity none

10.2 Chemical stability The product is chemically stable.

**10.3 Possibility of hazardous reactions**

Hazardous reactions No decomposition if stored and applied as directed.

**10.4 Conditions to avoid**

Conditions to avoid no data available

**10.5 Incompatible materials**

Materials to avoid no data available

**10.6 Hazardous decomposition products**

Hazardous decomposition products no data available

Thermal decomposition no data available

**11. Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute orale toxicity** Estimated Acute toxicity Dosis mg/kg : 1945  
Method Calculationmethod

**Acute inhalation toxicity** Estimated Acute toxicity Dosis mg/ltr:  
Method Calculationmethod No data is available on the product itself.

**Acute dermale toxicity** Estimated Acute toxicity Dosis mg/kg : 2866  
Method Calculationmethod

**Acute toxicity (other routes of administration)**  
No data is available on the product itself.

**Skin corrosion/irritation**  
Skin irritation No data is available on the product itself.

**Serious eye damage/eye irritation**  
Eye irritation No data is available on the product itself.

**Respiratory or skin sensitization**  
Sensitisation No data is available on the product itself.

**Germ cell mutagenicity**  
Germ cell mutagenicity No data is available on the product itself.

**Carcinogenicity**  
Carcinogenicity No data is available on the product itself.

**Reproductive toxicity**  
Reproductive toxicity No data is available on the product itself.

**Target Organ Systemic Toxicant - Single exposure**  
Target Organ Systemic Toxicant - Single exposure  
No data is available on the product itself.

**Target Organ Systemic Toxicant - Repeated exposure**  
Target Organ Systemic Toxicant - Repeated exposure  
No data is available on the product itself.

**Aspiration hazard**  
Aspiration toxicity No data is available on the product itself.

**Phototoxicity**  
Phototoxicity No data is available on the product itself.

**Further information** no data available

**11.2 Information on other hazards**

**Endocrine disrupting properties  
Assessment**

This substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH

Product **DIPPY BAIES @ 25%** Revisiondate  
Version 11.0 **23-10-2024** Printdate **23-10-2024**

Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Further information** no data available

## **12. Ecological information**

### **12.1 Toxicity**

Toxicity to fish no data available  
Toxicity to daphnia and other aquatic invertebrates. no data available  
Toxicity to algae no data available

### **12.2 Persistence and degradability**

Biodegradability no data available  
Biodegradability BO (Biodegradable Organics) % 24,2

### **12.3 Bioaccumulative potential**

Bioaccumulation no data available

### **12.4 Mobility in soil**

Mobility no data available  
Distribution among environmental compartments no data available  
Additional advice Environmental fate and pathways no data available  
Physico-chemical removability no data available

### **12.5 Results of PBT and vPvB assessment**

#### **Assessment**

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6 Endocrine disrupting properties**

#### **Assessment**

This substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **12.7 Other adverse effects**

Biochemical Oxygen Demand (BOD) no data available  
Dissolved organic carbon (DOC) no data available  
Chemical Oxygen Demand (COD) no data available  
Adsorbed organic bound halogens (AOX) no data available  
Additional ecological information  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## **13. Disposal considerations**

### **13.1 Waste treatment methods**

Product The product should not be allowed to enter drains, water courses or the soil.

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

Page 11



Product **DIPPY BAIES @ 25%**  
Version 11.0 Revisiondate 23-10-2024 Printdate 23-10-2024

Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.  
Dispose of as unused product.

Do not re-use empty containers.  
Dispose of in accordance with local regulations.

**14. Transport information**

**ADR/RID/ADN** UNnumber Not regulated  
Description of Goods  
Transportclass and packaging group -----

**IATA/ICAO** UNnumber Not regulated  
Description of Goods  
Transportclass and packaging group -----

**IMDG** UNnumber Not regulated  
Description of Goods  
Transportclass and packaging group -----

**15. Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

ABM Cat Water hazard class NL (ABM) Cat A3  
WGK WGK2

**15.2 Chemical Safety Assessment**

A chemical safety assessment is not required for this substance

**16. Other information**

**Full text of H-Statements referred to under sections 2 and 3.**

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

Page 12



Product

**DIPPY BAIES @ 25%**  
Revisiondate 23-10-2024

Printdate 23-10-2024

Version 11.0

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.